



FIG. 1






FIG. 2






FIG. 3




FIG. 4

OUTER DIAMETER D _{ls} (mm)	EFFECTIVE FOCAL LENGTH EFL (mm)
1.0	0.6
1.0	1.0
1.5	1.0
1.5	1.5
2.0	1.5
2.0	2.0
2.5	2.0
2.5	2.5
2.5	3.0
3.0	3.0
3.0	4.5
3.0	6.0
3.0	9.0
3.0	12.0
3.0	15.0
4.0	4.0
4.0	6.0
4.0	8.0
4.0	10.0
4.0	12.0
4.5	4.5
4.5	9.0
5.0	5.0
5.0	10.0
5.0	12.0
5.0	15.0
6.0	6.0
6.0	9.0
6.0	12.0
6.0	15.0
6.0	18.0
6.0	21.0
6.0	24.0
6.0	30.0
6.0	36.0
6.0	49.0
6.0	72.0
9.0	9.0
9.0	13.5
9.0	18.0
9.0	22.0
9.0	27.0
9.0	36.0
9.0	45.0






FIG. 5






FIG. 6





FIG. 7





7 / 13

FIG. 8




FIG. 9






FIG. 10




FIG. 11




FIG. 12




FIG. 13




FIG. 14





FIG. 15



12 / 13

FIG. 16





FIG. 17



13 / 13

FIG. 18




FIG. 19

